Author Index

Abrous, D.N., see Bal, A. (18) 221
Abu-Shakra, S.R., Cole, A.J. and Drachman, D.B.
Nerve stimulation and denervation induce differential patterns of immediate early gene mRNA expression in skeletal muscle (18) 216
Adrian, D., see Gordon, D.L. (18) 335
Agnati, L.F., see Zoli, M. (18) 163
Antle, C., see Leonard, S. (18) 275
Arango, V., see Kapur, S. (18) 121
Arnauld, E., Arsaut, J. and Demotes-Mainard, J.
Functional heterogeneity of the caudate-putamen as revealed by c-*fos* induction in response to D_1 receptor activation (18) 339
Arsaut, J., see Arnauld, E. (18) 339
Austin, M.C., see Kapur, S. (18) 121

Bal, A., Savasta, M., Chritin, M., Mennicken, F., Abrous, D.N., Le Moal, M., Feuerstein, C. and Herman, J.P.
Transplantation of fetal nigral cells reverses the increase of preproenkephalin mRNA levels in the rat striatum caused by 6-OHDA lesion of the dopaminergic nigrostriatal pathway: a quantitative in situ hybridization study (18) 221
Bandele, A., see Gubits, R.M. (18) 228
Beaudet, L., Côté, F., Houle, D. and Julien, J.-P.
Different posttranscriptional controls for the human neurofilament light and heavy genes in transgenic mice (18) 23
Beilharz, E., see Dragunow, M. (18) 347
Beilharz, E.J., Klempt, N.D., Klempt, M., Sirimanne, E., Dragunow, M. and Gluckman, P.D.
Differential expression of insulin-like growth factor binding proteins (IGFBP) 4 and 5 mRNA in the rat brain after transient hypoxic-ischemic injury (18) 209
Bergeron, C., see Sutherland, M.K. (18) 32
Bessho, Y., Nakanishi, S. and Nawa, H.
Glutamate receptor agonists enhance the expression of BDNF mRNA in cultured cerebellar granule cells (18) 201
Bettuzzi, S., see Zoli, M. (18) 163
Bildstein, C.L., see Wong, D.L. (18) 107
Bohus, B., see Van der Zee, E.A. (18) 152
Bowery, N.G., see Knott, C. (18) 353
Brachova, L., Lue, L.-F., Schultz, J., Rashidy, T.E. and Rogers, J.
Association cortex, cerebellum, and serum concentrations of C1q and factor B in Alzheimer's disease (18) 329
Breton, C., Schorpp, M. and Nahon, J.-L.
Isolation and characterization of the human melanin-concentrating hormone gene and a variant gene (18) 297
Buckland, P., Tidmarsh, S., Spurlock, G., Kaiser, F., Yates, M., O'Mahony, G. and McGuffin, P.
Amyloid precursor protein mRNA levels in the mononuclear blood cells of Alzheimer's and Down's patients (18) 316
Burke, R.E., see Gubits, R.M. (18) 228
Burton, P.R., see Qian, A. (18) 100

Casey-McIntosh, G., see Gubits, R.M. (18) 228
Cerruti, C., Walther, D.M., Kuhar, M.J. and Uhl, G.R.
Dopamine transporter mRNA expression is intense in rat midbrain neurons and modest outside midbrain (18) 181
Chritin, M., see Bal, A. (18) 221
Cole, A.J., see Abu-Shakra, S.R. (18) 216
Côté, F., see Beaudet, L. (18) 23

DeCristofaro, J.D., Weisinger, G. and LaGamma, E.F.
Cholinergic regulation of rat preproenkephalin RNA in the adrenal medulla (18) 133
Deguchi, T., see Kengaku, M. (18) 71
Demotes-Mainard, J., see Arnauld, E. (18) 339
Demura, H., see Suda, T. (18) 311
Destrade, C., see Heurteaux, C. (18) 17
Dlouhy, S.R., see Kambouris, M. (18) 321
Drachman, D.B., see Abu-Shakra, S.R. (18) 216
Dragunow, M., Young, D., Hughes, P., MacGibbon, G., Lawlor, P., Singleton, K., Sirimanne, E., Beilharz, E. and Gluckman, P.
Is c-Jun involved in nerve cell death following status epilepticus and hypoxic-ischaemic brain injury? (18) 347
Dragunow, M., see Beilharz, E.J. (18) 209
Dunn-Meynell, A., see Levin, B.E. (18) 59

Eaton, A.M., see Gilmore, J.H. (18) 290

Faivre-Sarrailh, C., see Had, L. (18) 77
Ferraguti, F., see Zoli, M. (18) 163
Feuerstein, C., see Bal, A. (18) 221
Fink, G., see Seckl, J.R. (18) 239
Freedman, R., see Leonard, S. (18) 275
French, K.L., see Seckl, J.R. (18) 239
Fujita, S., see Ohno, K. (18) 343
Furuyama, T., Kiyama, H., Sato, K., Park, H.T., Maeno, H., Takagi, H. and Tohyama, M.
Region-specific expression of subunits of ionotropic glutamate receptors (AMPA-type, KA-type and NMDA receptors) in the rat spinal cord with special reference to nociception (18) 141

Ghetti, B., see Kambouris, M. (18) 321
Gilmore, J.H., Lawler, C.P., Eaton, A.M. and Mailman, R.B.
Postmortem stability of dopamine D_1 receptor mRNA and D_1 receptors (18) 290
Giordano, T., see Pan, J.B. (18) 259
Gluckman, P., see Dragunow, M. (18) 347
Gluckman, P.D., see Beilharz, E.J. (18) 209
Goodman, S.R., see Ma, Y. (18) 87
Gordon, D.L., Sadlon, T., Hefford, C. and Adrian, D.
Expression of CD59, a regulator of the membrane attack complex of complement, on human astrocytes (18) 335
Götz, E., Olenik, C., Uhl, A., Seregi, A. and Meyer, D.K.
Meningocortical lesion increases expression of the cholecystokinin gene in rat cerebral cortex: evidence for the involvement of platelet-activating factor (PAF) (18) 285
Gubits, R.M., Burke, R.E., Casey-McIntosh, G., Bandele, A. and Munell, F.
Immediate early gene induction after neonatal hypoxia-ischemia (18) 228

Had, L., Faivre-Sarrailh, C., Legrand, C. and Rabié, A.
The expression of tropomyosin genes in pure cultures of rat neurons, astrocytes and oligodendrocytes is highly cell-type specific and strongly regulated during development (18) 77
Hefford, C., see Gordon, D.L. (18) 335
Herman, J.P., see Bal, A. (18) 221
Heurteaux, C., Messier, C., Destrade, C. and Lazdunski, M.
Memory processing and apamin induce immediate early gene expression in mouse brain (18) 17
Himes, R.H., see Qian, A. (18) 100
Hiscock, J.J., see Willoughby, J.O. (18) 178
Hodes, M.E., see Kambouris, M. (18) 321
Hoffer, B., see Leonard, S. (18) 275
Houle, D., see Beaudet, L. (18) 23
Hughes, P., see Dragunow, M. (18) 347
Hyman, B.T., Wenniger, J.J. and Tanzi, R.E.
Nonisotopic in situ hybridization of amyloid beta protein precursor in Alzheimer's disease: expression in neurofibrillary tangle bearing neurons and in the microenvironment surrounding senile plaques (18) 253
Hyman, B.T., see Tanzi, R.E. (18) 246

Iwai, I., see Suda, T. (18) 311

Julien, J.-P., see Beaudet, L. (18) 23

Kaiser, F., see Buckland, P. (18) 316
Kambouris, M., Sangameswaran, L., Dlouhy, S.R., Hodes, M.E., Ghetti, B. and Triarhou, L.C.
Cellular distribution of the RNA transcripts of a newly discovered gene in the brain of normal, weaver, Purkinje cell degeneration and reeler mutant mice as evidenced by in situ hybridization histochemistry (18) 321

Author Index

Abrous, D.N., see Bal, A. (18) 221
Abu-Shakra, S.R., Cole, A.J. and Drachman, D.B.
Nerve stimulation and denervation induce differential patterns of immediate early gene mRNA expression in skeletal muscle (18) 216
Adrian, D., see Gordon, D.L. (18) 335
Agnati, L.F., see Zoli, M. (18) 163
Antle, C., see Leonard, S. (18) 275
Arango, V., see Kapur, S. (18) 121
Arnauld, E., Arsaut, J. and Demotes-Mainard, J.
Functional heterogeneity of the caudate-putamen as revealed by c-*fos* induction in response to D_1 receptor activation (18) 339
Arsaut, J., see Arnauld, E. (18) 339
Austin, M.C., see Kapur, S. (18) 121

Bal, A., Savasta, M., Chritin, M., Mennicken, F., Abrous, D.N., Le Moal, M., Feuerstein, C. and Herman, J.P.
Transplantation of fetal nigral cells reverses the increase of preproenkephalin mRNA levels in the rat striatum caused by 6-OHDA lesion of the dopaminergic nigrostriatal pathway: a quantitative in situ hybridization study (18) 221
Bandele, A., see Gubits, R.M. (18) 228
Beaudet, L., Côté, F., Houle, D. and Julien, J.-P.
Different posttranscriptional controls for the human neurofilament light and heavy genes in transgenic mice (18) 23
Beilharz, E., see Dragunow, M. (18) 347
Beilharz, E.J., Klempt, N.D., Klempt, M., Sirimanne, E., Dragunow, M. and Gluckman, P.D.
Differential expression of insulin-like growth factor binding proteins (IGFBP) 4 and 5 mRNA in the rat brain after transient hypoxic-ischemic injury (18) 209
Bergeron, C., see Sutherland, M.K. (18) 32
Bessho, Y., Nakanishi, S. and Nawa, H.
Glutamate receptor agonists enhance the expression of BDNF mRNA in cultured cerebellar granule cells (18) 201
Bettuzzi, S., see Zoli, M. (18) 163
Bildstein, C.L., see Wong, D.L. (18) 107
Bohus, B., see Van der Zee, E.A. (18) 152
Bowery, N.G., see Knott, C. (18) 353
Brachova, L., Lue, L.-F., Schultz, J., Rashidy, T.E. and Rogers, J.
Association cortex, cerebellum, and serum concentrations of C1q and factor B in Alzheimer's disease (18) 329
Breton, C., Schorpp, M. and Nahon, J.-L.
Isolation and characterization of the human melanin-concentrating hormone gene and a variant gene (18) 297
Buckland, P., Tidmarsh, S., Spurlock, G., Kaiser, F., Yates, M., O'Mahony, G. and McGuffin, P.
Amyloid precursor protein mRNA levels in the mononuclear blood cells of Alzheimer's and Down's patients (18) 316
Burke, R.E., see Gubits, R.M. (18) 228
Burton, P.R., see Qian, A. (18) 100

Casey-McIntosh, G., see Gubits, R.M. (18) 228
Cerruti, C., Walther, D.M., Kuhar, M.J. and Uhl, G.R.
Dopamine transporter mRNA expression is intense in rat midbrain neurons and modest outside midbrain (18) 181
Chritin, M., see Bal, A. (18) 221
Cole, A.J., see Abu-Shakra, S.R. (18) 216
Côté, F., see Beaudet, L. (18) 23

DeCristofaro, J.D., Weisinger, G. and LaGamma, E.F.
Cholinergic regulation of rat preproenkephalin RNA in the adrenal medulla (18) 133
Deguchi, T., see Kengaku, M. (18) 71
Demotes-Mainard, J., see Arnauld, E. (18) 339
Demura, H., see Suda, T. (18) 311
Destrade, C., see Heurteaux, C. (18) 17
Dlouhy, S.R., see Kambouris, M. (18) 321
Drachman, D.B., see Abu-Shakra, S.R. (18) 216
Dragunow, M., Young, D., Hughes, P., MacGibbon, G., Lawlor, P., Singleton, K., Sirimanne, E., Beilharz, E. and Gluckman, P.
Is c-Jun involved in nerve cell death following status epilepticus and hypoxic-ischaemic brain injury? (18) 347
Dragunow, M., see Beilharz, E.J. (18) 209
Dunn-Meynell, A., see Levin, B.E. (18) 59

Eaton, A.M., see Gilmore, J.H. (18) 290

Faivre-Sarrailh, C., see Had, L. (18) 77
Ferraguti, F., see Zoli, M. (18) 163
Feuerstein, C., see Bal, A. (18) 221
Fink, G., see Seckl, J.R. (18) 239
Freedman, R., see Leonard, S. (18) 275
French, K.L., see Seckl, J.R. (18) 239
Fujita, S., see Ohno, K. (18) 343
Furuyama, T., Kiyama, H., Sato, K., Park, H.T., Maeno, H., Takagi, H. and Tohyama, M.
Region-specific expression of subunits of ionotropic glutamate receptors (AMPA-type, KA-type and NMDA receptors) in the rat spinal cord with special reference to nociception (18) 141

Ghetti, B., see Kambouris, M. (18) 321
Gilmore, J.H., Lawler, C.P., Eaton, A.M. and Mailman, R.B.
Postmortem stability of dopamine D_1 receptor mRNA and D_1 receptors (18) 290
Giordano, T., see Pan, J.B. (18) 259
Gluckman, P., see Dragunow, M. (18) 347
Gluckman, P.D., see Beilharz, E.J. (18) 209
Goodman, S.R., see Ma, Y. (18) 87
Gordon, D.L., Sadlon, T., Hefford, C. and Adrian, D.
Expression of CD59, a regulator of the membrane attack complex of complement, on human astrocytes (18) 335
Götz, E., Olenik, C., Uhl, A., Seregi, A. and Meyer, D.K.
Meningocortical lesion increases expression of the cholecystokinin gene in rat cerebral cortex: evidence for the involvement of platelet-activating factor (PAF) (18) 285
Gubits, R.M., Burke, R.E., Casey-McIntosh, G., Bandele, A. and Munell, F.
Immediate early gene induction after neonatal hypoxia-ischemia (18) 228

Had, L., Faivre-Sarrailh, C., Legrand, C. and Rabié, A.
The expression of tropomyosin genes in pure cultures of rat neurons, astrocytes and oligodendrocytes is highly cell-type specific and strongly regulated during development (18) 77
Hefford, C., see Gordon, D.L. (18) 335
Herman, J.P., see Bal, A. (18) 221
Heurteaux, C., Messier, C., Destrade, C. and Lazdunski, M.
Memory processing and apamin induce immediate early gene expression in mouse brain (18) 17
Himes, R.H., see Qian, A. (18) 100
Hiscock, J.J., see Willoughby, J.O. (18) 178
Hodes, M.E., see Kambouris, M. (18) 321
Hoffer, B., see Leonard, S. (18) 275
Houle, D., see Beaudet, L. (18) 23
Hughes, P., see Dragunow, M. (18) 347
Hyman, B.T., Wenniger, J.J. and Tanzi, R.E.
Nonisotopic in situ hybridization of amyloid beta protein precursor in Alzheimer's disease: expression in neurofibrillary tangle bearing neurons and in the microenvironment surrounding senile plaques (18) 253
Hyman, B.T., see Tanzi, R.E. (18) 246

Iwai, I., see Suda, T. (18) 311

Julien, J.-P., see Beaudet, L. (18) 23

Kaiser, F., see Buckland, P. (18) 316
Kambouris, M., Sangameswaran, L., Dlouhy, S.R., Hodes, M.E., Ghetti, B. and Triarhou, L.C.
Cellular distribution of the RNA transcripts of a newly discovered gene in the brain of normal, weaver, Purkinje cell degeneration and reeler mutant mice as evidenced by in situ hybridization histochemistry (18) 321

Kamegai, J., Minami, S., Sugihara, H. and Wakabayashi, I.
Barrel rotation evoked by intracerebroventricular injection of somatostatin and arginine-vasopressin is accompanied by the induction of c-*fos* gene expression in the granular cells of rat cerebellum (18) 115
Kapur, S., Austin, M.C., Underwood, M.D., Arango, V. and Mann, J.J.
Electroconvulsive shock increases tyrosine hydroxylase and neuropeptide Y gene expression in the locus coeruleus (18) 121
Kato, H., see Ohno, K. (18) 343
Kengaku, M., Misawa, H. and Deguchi, T.
Multiple mRNA species of choline acetyltransferase from rat spinal cord (18) 71
Kiyama, H., see Furuyama, T. (18) 141
Kiyama, H., see Maeno, H. (18) 43
Kiyama, H., see Ohno, K. (18) 343
Kiyama, H., see Yao, G.L. (18) 1
Klempt, M., see Beilharz, E.J. (18) 209
Klempt, N.D., see Beilharz, E.J. (18) 209
Knott, C., Maguire, J.J. and Bowery, N.G.
Age-related regional sensitivity to pertussis toxin-mediated reduction in $GABA_B$ receptor binding in rat brain (18) 353
Kook, K.A., see Montpied, P. (18) 267
Kuhar, M.J., see Cerruti, C. (18) 181

LaGamma, E.F., see DeCristofaro, J.D. (18) 133
Landwehrmeyer, B., Mengod, G. and Palacios, J.M.
Dopamine D_3 receptor mRNA and binding sites in human brain (18) 187
Lawler, C.P., see Gilmore, J.H. (18) 290
Lawlor, P., see Dragunow, M. (18) 347
Lazdunski, M., see Heurteaux, C. (18) 17
Legrand, C., see Had, L. (18) 77
Le Moal, M., see Bal, A. (18) 221
Leonard, S., Luthman, D., Logel, J., Luthman, J., Antle, C., Freedman, R. and Hoffer, B.
Acidic and basic fibroblast growth factor mRNAs are increased in striatum following MPTP-induced dopamine neurofiber lesion: assay by quantitative PCR (18) 275
Lesage, A., see Wong, D.L. (18) 107
Levin, B.E. and Dunn-Meynell, A.
Regulation of growth-associated protein 43 (GAP-43) messenger RNA associated with plastic change in the adult rat barrel receptor complex (18) 59
Logel, J., see Leonard, S. (18) 275
Lue, L.-F., see Brachova, L. (18) 329
Luiten, P.G.M., see Van der Zee, E.A. (18) 152
Luthman, D., see Leonard, S. (18) 275
Luthman, J., see Leonard, S. (18) 275

Ma, Y., Zimmer, W.E., Riederer, B.M. and Goodman, S.R.
The complete amino acid sequence for brain β spectrin (β fodrin): relationship to globin sequences (18) 87
MacGibbon, G., see Dragunow, M. (18) 347
Mackenzie, L., see Willoughby, J.O. (18) 178
Maeno, H., Kiyama, H. and Tohyama, M.
Distribution of the substance P receptor (NK-1 receptor) in the central nervous system (18) 43
Maeno, H., see Furuyama, T. (18) 141
Maguire, J.J., see Knott, C. (18) 353
Mailman, R.B., see Gilmore, J.H. (18) 290
Mann, J.J., see Kapur, S. (18) 121
Matsunaga, T., see Ohno, K. (18) 343
McGuffin, P., see Buckland, P. (18) 316
McLachlan, D.R., see Sutherland, M.K. (18) 32
Meaney, M.J., see Plotsky, P.M. (18) 195
Meaney, M.J., see Seckl, J.R. (18) 239
Mengod, G., see Landwehrmeyer, B. (18) 187
Mennicken, F., see Bal, A. (18) 221
Messier, C., see Heurteaux, C. (18) 17
Meyer, D.K., see Götz, E. (18) 285
Minami, S., see Kamegai, J. (18) 115
Misawa, H., see Kengaku, M. (18) 71
Monteggia, L.M., see Pan, J.B. (18) 259
Montpied, P., Weizman, A., Weizman, R., Kook, K.A., Morrow, A.L. and Paul, S.M.
Repeated swim-stress reduces $GABA_A$ receptor α subunit mRNAs in the mouse hippocampus (18) 267
Morrow, A.L., see Montpied, P. (18) 267
Munell, F., see Gubits, R.M. (18) 228

Nahon, J.-L., see Breton, C. (18) 297
Nair, N.P.V., see Seckl, J.R. (18) 239
Nakanishi, S., see Bessho, Y. (18) 201
Nakano, Y., see Suda, T. (18) 311
Nawa, H., see Bessho, Y. (18) 201

O'Donnell, D., see Seckl, J.R. (18) 239
Ohno, K., Takeda, N., Kiyama, H., Kato, H., Fujita, S., Matsunaga, T. and Tohyama, M.
Synaptic contact between vestibular afferent nerve and cholinergic efferent terminal: its putative mediation by nicotinic receptors (18) 343
Ohyagi, Y. and Tabira, T.
Effect of growth factors and cytokines on expression of amyloid β protein precursor mRNAs in cultured neural cells (18) 127
Olenik, C., see Götz, E. (18) 285
O'Mahony, G., see Buckland, P. (18) 316

Palacios, J.M., see Landwehrmeyer, B. (18) 187
Pan, J.B., Monteggia, L.M. and Giordano, T.
Altered levels and splicing of the amyloid precursor protein in the adult rat hippocampus after treatment with DMSO or retinoic acid (18) 259
Park, H.T., see Furuyama, T. (18) 141
Parmentier, M., see Sutherland, M.K. (18) 32
Paul, S.M., see Montpied, P. (18) 267
Plotsky, P.M. and Meaney, M.J.
Early, postnatal experience alters hypothalamic corticotropin-releasing factor (CRF) mRNA, median eminence CRF content and stress-induced release in adult rats (18) 195

Qian, A., Burton, P.R. and Himes, R.H.
A comparison of microtubule assembly in brain extracts from young and old rats (18) 100

Rabié, A., see Had, L. (18) 77
Rashidy, T.E., see Brachova, L. (18) 329
Riederer, B.M., see Ma, Y. (18) 87
Rogers, J., see Brachova, L. (18) 329

Sadlon, T., see Gordon, D.L. (18) 335
Sagar, S., see Willoughby, J.O. (18) 178
Sangameswaran, L., see Kambouris, M. (18) 321
Sato, K., see Furuyama, T. (18) 141
Sato, Y., see Suda, T. (18) 311
Savasta, M., see Bal, A. (18) 221
Schorpp, M., see Breton, C. (18) 297
Schultz, J., see Brachova, L. (18) 329
Seckl, J.R., French, K.L., O'Donnell, D., Meaney, M.J., Nair, N.P.V., Yates, C.M. and Fink, G.
Glucocorticoid receptor gene expression is unaltered in hippocampal neurons in Alzheimer's disease (18) 239
Seregi, A., see Götz, E. (18) 285
Siddall, B., see Wong, D.L. (18) 107
Singleton, K., see Dragunow, M. (18) 347
Sirimanne, E., see Beilharz, E.J. (18) 209
Sirimanne, E., see Dragunow, M. (18) 347
Somerville, M.J., see Sutherland, M.K. (18) 32
Spurlock, G., see Buckland, P. (18) 316
Strosberg, A.D., see Van der Zee, E.A. (18) 152
Suda, T., Tozawa, F., Iwai, I., Sato, Y., Sumitomo, T., Nakano, Y., Yamada, M. and Demura, H.
Neuropeptide Y increases the corticotropin-releasing factor messenger ribonucleic acid level in the rat hypothalamus (18) 311
Sugihara, H., see Kamegai, J. (18) 115
Sumitomo, T., see Suda, T. (18) 311
Sutherland, M.K., Wong, L., Somerville, M.J., Yoong, L.K.K., Bergeron, C., Parmentier, M. and McLachlan, D.R.
Reduction of calbindin-28k mRNA levels in Alzheimer as compared to Huntington hippocampus (18) 32

Tabira, T., see Ohyagi, Y. (18) 127
Takagi, H., see Furuyama, T. (18) 141
Takeda, N., see Ohno, K. (18) 343
Tanzi, R.E., Wenniger, J.J. and Hyman, B.T.
Cellular specificity and regional distribution of amyloid β protein precursor alternative transcripts are unaltered in Alzheimer hippocampal formation (18) 246
Tanzi, R.E., see Hyman, B.T. (18) 253
Tidmarsh, S., see Buckland, P. (18) 316
Tohyama, M., see Furuyama, T. (18) 141
Tohyama, M., see Maeno, H. (18) 43

Tohyama, M., see Ohno, K. (18) 343
Tohyama, M., see Yao, G.L. (18) 1
Tozawa, F., see Suda, T. (18) 311
Triarhou, L.C., see Kambouris, M. (18) 321

Uhl, A., see Götz, E. (18) 285
Uhl, G.R., see Cerruti, C. (18) 181
Underwood, M.D., see Kapur, S. (18) 121

Van der Zee, E.A., Strosberg, A.D., Bohus, B. and Luiten, P.G.M.
Colocalization of muscarinic acetylcholine receptors and protein kinase Cγ in rat parietal cortex (18) 152

Wakabayashi, I., see Kamegai, J. (18) 115
Walther, D.M., see Cerruti, C. (18) 181
Weisinger, G., see DeCristofaro, J.D. (18) 133
Weizman, A., see Montpied, P. (18) 267
Weizman, R., see Montpied, P. (18) 267
Wenniger, J.J., see Hyman, B.T. (18) 253
Wenniger, J.J., see Tanzi, R.E. (18) 246
Willoughby, J.O., Mackenzie, L., Hiscock, J.J. and Sagar, S.
Non convulsive spike-wave discharges do not induce Fos in cerebro-cortical neurons (18) 178
Wong, D.L., Bildstein, C.L., Siddall, B., Lesage, A. and Yoo, Y.S.
Neural regulation of phenyethanolamine *N*-methyltransferase in vivo: transcriptional and translational changes (18) 107
Wong, L., see Sutherland, M.K. (18) 32

Yamada, M., see Suda, T. (18) 311
Yao, G.L., Kiyama, H. and Tohyama, M.
Distribution of GAP-43 (B50/F1) mRNA in the adult rat brain by in situ hybridization using an alkaline phosphatase labeled probe (18) 1
Yates, C.M., see Seckl, J.R. (18) 239
Yates, M., see Buckland, P. (18) 316
Yoo, Y.S., see Wong, D.L. (18) 107
Yoong, L.K.K., see Sutherland, M.K. (18) 32
Young, D., see Dragunow, M. (18) 347

Zimmer, W.E., see Ma, Y. (18) 87
Zini, I., see Zoli, M. (18) 163
Zoli, M., Ferraguti, F., Zini, I., Bettuzzi, S. and Agnati, L.F.
Increases in sulphated glycoprotein-2 mRNA levels in the rat brain after transient forebrain ischemia or partial mesodiencephalic hemitransection (18) 163